BULGARKONTROLA

BULGARKONTROLA SA -Sofia

Conformity Assessment Body for Construction Products
With identification number 14 and Permit № РОССП-14 on 15.09.2016
Issued by Ministry of Regional Development and Public Works

CERTIFICATE OF CONFORMITY
14 – НУРВСПСРБ – 4236

Issued pursuant to Art. 14, par.1 and par.2 of the Regulation № РД-02-20-1 on 05.02.2015 on the terms and conditions for use of construction products in the construction of the Republic of Bulgaria on Ministry of Regional Development and Public Works for the **construction product**

HDPE „Konti Kan HDPE"
Pipes and Fittings made of Polyetylene

Are designed for non-pressure underground drainage and sewerage with structured –wall piping system with smooth internal and profiled external surface type "B", with dimensions, ring stiffness and evaluated characteristics in accordance with national requirements as per Supplement № 1 to this Certificate.

place on the market by
KONTI HIDROPLAST DOOEL
ul. Industriska b.b. 1480 Gevgelia
Republic of North Macedonia

manufactured by
KONTI HIDROPLAST DOOEL
ul. Industriska b.b. 1480 Gevgelia
Republic of North Macedonia

This certificate certifies that the product has been evaluated and meets national requirements set out in
BDS EN EN 13476-3:2025
and item 12 of Annex 2 to item 2 of Order № 02-14-1329 from 03.12.2015 of the Minister of Regional Development and Public Works

The Certificate was issued on **01/04/2026**, cancel the Certificate **№ 14-НУРВСПСРБ-3793 from 02/03/2023** and remains valid for three years to **31/03/2029**, provided that the manufacturer ensures consistency of product characteristics and the conditions of production or production control has not been changed significantly.

Place: Sofia
Date: 01/04/2026

Director of "Conformity Assessment" Dept.
/T. Lyubenova/

1505 Sofia, 23, Sitnyakovo Blvd. | tel.: +359 2 989 4070 | e-mail: bulgarkontrola@bulgarkontrola.bg | www.bulgarkontrola.bg

Supplement № 1
to Certificate of Conformity № 14– НУРВСПСРБ-4236

1. Products range, nominal dimension, and stiffness

1.1. HDPE „Konti Kan HDPE" pipes

Nominal dimension , DN/OD	Nominal dimension, DN/ID	Stiffness* SN (kN/m2)
110÷1200	100÷1200	SN 4/SN 8/SN16

* Note: *Upon customer request, they can also be produced with SN 10 and SN12*

1.2. HDPE „Konti Kan HDPE" fittings

Products range	DN/OD	DN/ID	Products range	DN/OD	DN/ID
Y- Branch	110 ÷1200	200 ÷1200	**Y - Branch reducer**	125 x110÷1200x800	250x200÷1200x1000
Elbow $11^0/15^0/22^0/30^0/45^0/60^0/90^0$	110 ÷1200	200 ÷1200	**Reducir**	125 x110÷1200x800	250x200÷1200x1000
Tee	110 ÷1200	200 ÷1200	**Tee-reducir**	125 x110÷1200x800	250x200÷1200x1000
Socket	110 ÷1200	200 ÷1200	**Reducir**	DN –ID 200 x OD 200	-
Fleks Adapter	110 ÷200	-	**End cap**	110 ÷1200	100 ÷1200

2. Evaluated characteristics in accordance with national requirements

Характеристика	Изискване за деклариране/ гранично ниво
Appearance	Smooth and clean surface without pores, According to item 6.1 of BDS EN 13476-1:2025
Color	Pipes:External layer : black; Internal layer: grey Fittings: External and internal layer-black According to item 6.2 of BDS EN 13476-1:2025
Geometrical characteristics, mm – mean external diameter, $d_{em,min}$ – mean inside diameter, $d_{im,min}$	DN/OD 110÷1200; DN/ID 100÷1200 According to item 8,2 , tables 5,6 and . 7 of BDS EN 13476-1:2025
Oven test of pipes – test temperature 110^0C	Without delimitation, cracking and bubbles. According to item. 9.3.1., table12 of BDS EN 13476-3:2025
Effect of heating of fittings test temperature 110^0C	The depth of cracks, delimitation, or blisters ≤ 20% of the wall thickness According to item. 9.3.2., table 13 of BDS EN 13476-3:2025
Ring stiffness SN, κN/m ^{2}	≥ declared value for SN According to item 10.1.1, table 14 of BDS EN 13476-3:2025
Ring flexibility, κN	without damage , min. 30 % от $d_{em.}$ According to item 10.1.2, table14 of BDS EN 13476-3:2025
Water tightness of fabricated fittings made more than one piece	No leakage during the test According to item 11, table 17 of BDS EN 13476-3:2025
Leaktightness of systems with elastomeric seating rings	No leakage during the test According to item 11, table17 of BDS EN 13476-3:2025

Place: Sofia
Date: 01/04/2026

Director of "Conformity Assessment" Dept.
/T. Lyubenova/